

**SWAGE MARINE
EYES**



Part #	Wire Ø	Hole Ø
100.0208	1/16"	1/4"
100.0308	3/32"	1/4"
100.0408	1/8"	1/4"
100.0510	5/32"	5/16"
100.0612	3/16"	3/8"
100.0712	7/32"	3/8"
100.0714	7/32"	7/16"
100.0814	1/4"	7/16"
100.0816	1/4"	1/2"
100.0916	9/32"	1/2"
100.1016	5/16"	1/2"
100.1020	5/16"	5/8"
100.1220	3/8"	5/8"
100.1424	7/16"	3/4"
100.1624	1/2"	3/4"
100.1628	1/2"	7/8"

**SWAGE AIRCRAFT
EYES**



Part #	MS Style #	Wire Ø	Hole Ø
125.0206	20668-2	1/16"	3/16"
125.0306	20668-3	3/32"	3/16"
125.0406	20668-4	1/8"	3/16"
125.0508	20668-5	5/32"	1/4"
125.0610	20668-6	3/16"	5/16"
125.0710	20668-7	7/32"	5/16"
125.0812	20668-8	1/4"	3/8"
125.0914	20668-9	9/32"	7/16"
125.1014	20668-10	5/16"	7/16"
125.1216	20668-12	3/8"	1/2"
125.1418	20668-14	7/16"	9/16"
125.1620	20668-16	1/2"	5/8"

**SWAGE
SAILMAKERS EYE**



Part #	Wire Ø	Hole Ø
145.0408	1/8"	1/4"
145.0510	5/32"	5/16"
145.0612	3/16"	3/8"
145.0714	7/32"	7/16"
145.0816	1/4"	1/2"
145.1020	9/32"	1/2"
145.1220	5/16"	1/2"

**SWAGE FIXED
FORKS**



Part #	Wire Ø	Pin Ø	Jaw Width
200.0408	1/8"	1/4"	1/4"
200.0510	5/32"	5/16"	5/16"
200.0612	3/16"	3/8"	3/8"
200.0814	1/4"	7/16"	7/16"
200.0816	1/4"	1/2"	1/2"
200.0916	9/32"	1/2"	1/2"
200.1016	5/16"	1/2"	1/2"
200.1018	5/16"	9/16"	9/16"
200.1020	5/16"	5/8"	5/8"
200.1220	3/8"	5/8"	5/8"

**SWAGE AIRCRAFT
FORKS**



Part #	MS Style #	Wire Ø	Hole Ø
225.0206	20667-2	1/16"	3/16"
225.0306	20667-3	3/32"	3/16"
225.0406	20667-4	1/8"	3/16"
225.1008	20667-5	5/32"	1/4"
225.0610	20667-6	3/16"	5/16"
225.0710	20667-7	7/32"	5/16"
225.0812	20667-8	1/4"	3/8"
225.0914	20667-9	9/32"	7/16"
225.1014	20667-10	5/16"	7/16"
225.1216	20667-12	3/8"	1/2"
225.1418	20667-14	7/16"	9/16"
225.1620	20667-16	1/2"	5/8"

**SWAGE TOGGLE
JAW**



Part #	Wire Ø	Pin Ø	F-Jaw Width
300.0408	1/8"	1/4"	5/8"
300.0510	5/32"	5/16"	3/4"
300.0610	3/16"	5/16"	3/4"
300.0612	3/16"	3/8"	29/32"
300.0712	7/32"	3/8"	29/32"
300.0714	7/32"	7/16"	1 1/16"
300.0816	1/4"	1/2"	1 5/32"
300.0916	9/32"	1/2"	1 5/32"
300.1016	5/16"	1/2"	1 5/32"
300.1020	5/16"	5/8"	1 1/2"
300.1220	3/8"	5/8"	1 1/2"
300.1424	7/16"	3/4"	1 7/8"
300.1624	1/2"	3/4"	1 7/8"
300.1628	1/2"	7/8"	2 3/8"

**SWAGE T-BALL
TERMINALS**



Part #	Wire Ø	Head Thickness	Head Width
400.04	1/8"	0.25"	0.65"
400.05	5/32"	0.35"	0.69"
400.06	3/16"	0.35"	0.69"
400.07	7/32"	0.56"	1.10"
400.08	1/4"	0.56"	1.10"
400.09	9/32"	0.56"	1.10"
400.10	5/16"	0.70"	1.26"
400.12	3/8"	0.70"	1.26"

**SWAGE SHROUD
TERMINALS**



Part #	Wire Ø	Head Ø	Head Thickness
405.04	1/8"	0.47"	0.25"
405.05	5/32"	0.63"	0.31"
405.06	3/16"	0.74"	0.37"
405.07	7/32"	0.74"	0.46"
405.08	1/4"	0.86"	0.49"
405.09	9/32"	1.10"	0.56"
405.10	5/16"	1.18"	0.63"
405.12	3/8"	1.26"	0.70"
405.16	1/2"	1.49"	0.94"

T-BALL EYE



Part #	Backing Plate Size
410.04	1/8"
410.05	5/32"
410.06	3/16"
410.07	7/32" - 1/4" - 9/32"
410.10	5/16" - 3/8"

T-BALL BACKING PLATES



Part #	For Wire Ø
425.04	1/8"
425.05	5/32"
425.06	3/16"
425.07	7/32" - 1/4" - 9/32"
425.10	5/16" - 3/8"

T-BALL BACKING PLATE RUBBER PLUGS



Part #	Terminal Wire Size
430.04	1/8"
430.05	5/32"
430.06	3/16"
430.07	7/32" - 1/4" - 9/32"
430.10	5/16" - 3/8"

**SWAGE STEMBALL
TERMINALS**



Part #	Wire Ø	Cup Washer #	RAD-Radius
450.04	1/8"	0.50"	0.25"
450.04.56	1/8"	0.56"	0.25"
450.05	5/32"	0.68"	0.34"
450.05.68	5/32"	0.64"	0.34"
450.06	3/16"	.068"	0.34"
450.06.74	3/16"	.074"	0.34"
450.07	7/32"	0.78"	0.42"
450.08	1/4"	0.80"	0.42"
450.09	9/32"	0.87"	0.42"
450.10	5/16"	1.07"	0.54"
450.12	3/8"	1.24"	0.62"
450.14	7/16"	1.24"	0.62"
450.16	1/2"	1.39"	0.70"

**STEMBALL CUP
WASHER**



Part #	Hole Ø	Outside Ø
475.04	0.35"	1.02"
475.05	0.35"	1.02"
475.06	0.43"	1.02"
475.07	0.52"	1.02"
475.08	0.64"	1.02"
475.09	0.64"	1.02"
475.10	0.79"	1.34"
475.12	0.79"	1.34"

**SWAGE RIGGING
STUDS**



Part #	Wire Ø	Thread Ø	Thread Length
500.0308	3/32"	1/4-28	2 1/4"
500.0408	1/8"	1/4-28	2 1/4"
500.0508	5/32"	1/4-28	2 1/4"
500.0510	5/32"	5/16-24	2 3/8"
500.0610	3/16"	5/16-24	2 3/8"
500.0612	3/16"	3/8-24	2 7/8"
500.0712	7/32"	3/8-24	2 7/8"
500.0714	7/32"	7/16-20	2 3/4"
500.0812	1/4"	3/8-24	2 7/8"
500.0814	1/4"	7/16-20	2 3/4"
500.0816	1/4"	1/2-20	3 1/4"
500.0914	9/32"	7/16-20	2 3/4"
500.0916	9/32"	1/2-20	3 1/4"
500.1016	5/16"	1/2-20	3 1/4"
500.1020	5/16"	5/8-18	4"
500.1218	3/8"	9/16-18	4"
500.1220	3/8"	5/8-18	4"
500.1424	7/16"	3/4-16	5"
500.1624	1/2"	3/4-16	5"
500.1628	1/2"	7/8-14	6"

**OPEN TURNBUCKLE BODY
AND TOGGLE JAW**



Part #	Thread Ø	Pin Ø	Jaw Width
600.0808	1/4-28	1/4"	1/4"
600.1010	5/16-24	5/16"	5/16"
600.1212	3/8-24	3/8"	3/8"
600.1616	1/2-20	1/2"	1/2"
600.2020	5/8-18	5/8"	5/8"
600.2424	3/4-16	3/4"	3/4"

**OPEN STYLE
TURNBUCKLE BODY**



Part #	Thread Ø	Body Length
650.08	1/4-28	4 1/2"
650.10	5/16-24	5"
650.12	3/8-24	5 1/2"
650.14	7/16-20	5 7/8"
650.16	1/2-20	6 1/2"
650.20	5/8-18	8"
650.24	3/4-16	10"

**THREADED T-BOLT
WITH TOGGLE JAW**



	Left Hand	Thread Ø	Pin Ø	Thread Length	Jaw Width
	675.08	1/4-28	1/4"	2 1/4"	1/4"
	675.10	5/16-24	5/16"	2 3/8"	5/16"
	675.12	3/8-24	3/8"	2 3/4"	3/8"
	675.14	7/16-20	7/16"	2 1/2"	7/16"
	675.16	1/2-20	1/2"	3 1/4"	1/2"
	675.20	5/8-18	5/8"	4"	5/8"
	675.24	3/4-16	3/4"	4 7/8"	3/4"
	Right Hand	Thread Ø	Pin Ø	Thread Length	Jaw Width
	685.08	1/4-28	1/4"	2 1/4"	1/4"
	685.10	5/16-24	5/16"	2 3/8"	5/16"
	685.12	3/8-24	3/8"	2 3/4"	3/8"
	685.14	7/16-20	7/16"	2 1/2"	7/16"
	685.16	1/2-20	1/2"	3 1/4"	1/2"
	685.20	5/8-18	5/8"	4"	5/8"
	685.24	3/4-16	3/4"	4 7/8"	3/4"

**SWAGE TO TOGGLE
TURNBUCKLE**



Part #	Wire Ø	Thread Ø	Pin Ø	Jaw Width
700.030808	3/32"	1/4-28	1/4"	1/4"
700.040808	1/8"	1/4-28	1/4"	1/4"
700.050808	5/32"	1/4-28	1/4"	1/4"
700.051010	5/32"	5/16-24	5/16"	5/16"
700.061010	3/16"	5/16-24	5/16"	5/16"
700.061212	3/16"	3/8-24	3/8"	3/8"
700.071212	7/32"	3/8-24	3/8"	3/8"
700.081212	1/4"	3/8-24	3/8"	3/8"
700.081616	1/4"	1/2-20	1/2"	1/2"
700.091616	9/32"	1/2-20	1/2"	1/2"
700.101616	5/16"	1/2-20	1/2"	1/2"
700.102020	5/16"	5/8-18	5/8"	5/8"
700.122020	3/8"	5/8-18	5/8"	5/8"
700.142424	7/16"	3/4-16	3/4"	3/4"
700.162424	1/2"	3/4-16	3/4"	3/4"

**SWAGE TO EYE
TURNBUCKLE**



Part #	Wire Ø	Thread Ø	Pin Ø	Jaw Width
725.030808	3/32"	1/4-28	1/4"	1/4"
725.040808	1/8"	1/4-28	1/4"	1/4"
725.050808	5/32"	1/4-28	1/4"	1/4"
725.051010	5/32"	5/16-24	5/16"	5/16"
725.061010	3/16"	5/16-24	5/16"	5/16"
725.061212	3/16"	3/8-24	3/8"	3/8"
725.071212	7/32"	3/8-24	3/8"	3/8"
725.081212	1/4"	3/8-24	3/8"	3/8"
725.081616	1/4"	1/2-20	1/2"	1/2"
725.091616	9/32"	1/2-20	1/2"	1/2"
725.101616	5/16"	1/2-20	1/2"	1/2"
725.102020	5/16"	5/8-18	5/8"	5/8"
725.122020	3/8"	5/8-18	5/8"	5/8"
725.142424	7/16"	3/4-16	3/4"	3/4"
725.162424	1/2"	3/4-16	3/4"	3/4"

**DOUBLE JAW
TOGGLE TURNBUCKLE**



Part #	Thread Ø	Pin Ø	Jaw Width
750.080808	1/4-28	1/4"	1/4"
750.101010	5/16-24	5/16"	5/16"
750.121212	3/8-24	3/8"	3/8"
750.161616	1/2-20	1/2"	1/2"
750.202020	5/8-18	5/8"	5/8"
750.242424	3/4-16	3/4"	3/4"